Sadbovezemiaky.sk

Variety sheet

Filipa

A very early, mostly firm variety with an attractive appearance. Gives a high early yield; suitable for growing under film and for pre-sprouting.



Cooking type B
Mostly firm

Maturity
Very early

Use
Table use

Tubers
Round-oval, attractive

Skin and flesh
Yellow / yellow

Storability
Until end of year

Tubers and quality

Tuber shape	**Round-oval**
Tuber size	**Attractive appearance**
Number of tubers	**High**
Eye depth	**Shallow**
Skin	**Smooth**
Flesh	**Yellow**
Taste and texture	**Mostly firm, slight after-cooking darkening, good taste**
Yield	**High already at early harvest**
Dormancy	**Sprouts readily, stores until end of year**

Why Filipa

- Very early, high early yield
- Attractive round-oval tubers
- Very low susceptibility to common scab and damage
- Suitable for growing under film

Resistance

Late blight, foliage	**Medium resistance**
Potato cyst nematode Ro1 (9), Ro2/3 (8), Ro5 (8)	**Resistant**
Common scab	**Susceptibility: very low to low**
Internal rust spot	**Susceptibility: low to medium**

In the field

Metribuzin (Sencor)	**No sensitivity when used correctly (preliminary)**
Mechanical damage	**Susceptibility: very low to low**
Internal bruising	**Susceptibility: low**
Soils	**Medium to better, even water supply**

Data are based on the breeder's information and our own experience. They are indicative; results always depend on soil, weather and crop management.

Agriana s.r.o., Mila Urbana 18, 957 01 Bánovce nad Bebravou
objednavky@sadbovezemiaky.sk, +421 38 760 2398, +421 911 920 398

Cultivation

From planting to storage

1 Seed preparation and planting

- Sprouts readily; keep the seed cool until preparation.
- Suitable for growing under film and for pre-sprouting.
- Plant pre-sprouted seed 2 – 4 cm wider.
- Seed treatment against Rhizoctonia is recommended.

2 During the growing season

- No herbicide sensitivity known when used correctly (preliminary).
- Foliage: average leaf health; timely and regular blight protection is necessary.

3 Haulm killing and harvest

- Harvest quickly and gently once the skin has set.

4 Storage

- Storage: sprouts readily, stores until the end of the year.
- After harvest let the tubers dry and wounds heal.



Seed potatoes from us

Availability	on order
Orders	by e-mail or phone

Order Filipa

Scan the code. We ship to Slovakia and the Czech Republic.

Planting density

Seed size	Plants per ha	In-row spacing
35 – 50 mm	40,400	32 – 34 cm

Rows 75 cm; at 90 cm rows spacing 27 – 28 cm.

Fertilisation

160 kg N/ha incl. Nmin, full rate at planting

100 kg P_2O_5/ha, water-soluble phosphate at planting

245 – 325 kg K_2O/ha, preferably sulphate form

Magnesium 60 kg MgO/ha. Rates for a yield of about 45 t/ha at medium soil supply; always adjust to soil analysis.